

## 1. Product Type and Definition

OBEX CORTEX O241FR Class A2 RapidTray Cavity Tray System  
(Please note that the O241FR version of the product uses the O240FR RapidTray DPC System membrane).

## 2. Name and Contact Address of Supplier

OBEX Protection Ltd, Unit 5 St. Modwen Park, Norton Road, Broomhall, Worcester, WR5 2QR

## 3. Intended Use

EN 14909:2012 Flexible Sheets for Waterproofing – Plastic and rubber damp proof courses

## 4. Systems of Assessment and Verification of Constancy of Performance (AVCP)

System 3

## 5. Notified Body

Lucideon – Approved Body 1289

## 6. Declared Performance

Water Tightness	EN 1928 (A)	Pass – 2kPa for 24 hours
Resistance to Impact	EN 12691	Pass – 1000mm
<b>Durability</b>		
Watertightness After Ageing	EN 1296 / EN 1928	Pass – 2kPa for 24 hours
Alkali Resistance	EN 1847 / EN 1928	Pass – 2kPa for 24 hours
Resistance to Low Temperature	EN 495-5	-20°C - +20°C – Pass
Reaction to Fire	EN 13501-1	A2-s1,d0

The performance of the product identified in section 1 is in conformity with the declared performance in section 6. This Declaration of Performance (DoP) is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in section 2.

Signed for and on behalf of the manufacturer by:



Callum Doouss

Date: 19.12.25

Place: Worcester UK